

TRIANGULATING POLYGONS

Vera Sacristán

Discrete and Algorithmic Geometry
Facultat de Matemàtiques i Estadística
Universitat Politècnica de Catalunya

TRIANGULATING POLYGONS

TRIANGULATING POLYGONS

A **polygon triangulation** is the decomposition of a polygon into triangles. This is done by inserting internal diagonals.

An **internal diagonal** is any segment...


- connecting two vertices of the polygon and
- completely enclosed in the polygon.

TRIANGULATING POLYGONS

A **polygon triangulation** is the decomposition of a polygon into triangles. This is done by inserting internal diagonals.

An **internal diagonal** is any segment...

- connecting two vertices of the polygon and
- completely enclosed in the polygon.




TRIANGULATING POLYGONS

A **polygon triangulation** is the decomposition of a polygon into triangles. This is done by inserting internal diagonals.

An **internal diagonal** is any segment...

- connecting two vertices of the polygon and
- completely enclosed in the polygon.




TRIANGULATING POLYGONS

A **polygon triangulation** is the decomposition of a polygon into triangles. This is done by inserting internal diagonals.

An **internal diagonal** is any segment...

- connecting two vertices of the polygon and
- completely enclosed in the polygon.




TRIANGULATING POLYGONS

A **polygon triangulation** is the decomposition of a polygon into triangles. This is done by inserting internal diagonals.

An **internal diagonal** is any segment...

- connecting two vertices of the polygon and
- completely enclosed in the polygon.




TRIANGULATING POLYGONS

A **polygon triangulation** is the decomposition of a polygon into triangles. This is done by inserting internal diagonals.

An **internal diagonal** is any segment...

- connecting two vertices of the polygon and
- completely enclosed in the polygon.




TRIANGULATING POLYGONS

A **polygon triangulation** is the decomposition of a polygon into triangles. This is done by inserting internal diagonals.

An **internal diagonal** is any segment...

- connecting two vertices of the polygon and
- completely enclosed in the polygon.




TRIANGULATING POLYGONS

A **polygon triangulation** is the decomposition of a polygon into triangles. This is done by inserting internal diagonals.

An **internal diagonal** is any segment...

- connecting two vertices of the polygon and
- completely enclosed in the polygon.

An application example:





TRIANGULATING POLYGONS

A **polygon triangulation** is the decomposition of a polygon into triangles. This is done by inserting internal diagonals.

An **internal diagonal** is any segment...

- connecting two vertices of the polygon and
- completely enclosed in the polygon.

An application example:





TRIANGULATING POLYGONS

A **polygon triangulation** is the decomposition of a polygon into triangles. This is done by inserting internal diagonals.

An **internal diagonal** is any segment...

- connecting two vertices of the polygon and
- completely enclosed in the polygon.

An application example:





TRIANGULATING POLYGONS

A **polygon triangulation** is the decomposition of a polygon into triangles. This is done by inserting internal diagonals.

An **internal diagonal** is any segment...

- connecting two vertices of the polygon and
- completely enclosed in the polygon.

An application example:





TRIANGULATING POLYGONS

A **polygon triangulation** is the decomposition of a polygon into triangles. This is done by inserting internal diagonals.

An **internal diagonal** is any segment...

- connecting two vertices of the polygon and
- completely enclosed in the polygon.

An application example:








TRIANGULATING POLYGONS

A **polygon triangulation** is the decomposition of a polygon into triangles. This is done by inserting internal diagonals.

An **internal diagonal** is any segment...

- connecting two vertices of the polygon and
- completely enclosed in the polygon.


An application example:



TRIANGULATING POLYGONS

Index

1. Every polygon can be triangulated
2. Properties of polygon triangulations
3. Algorithms
 - (a) Triangulating by inserting diagonals
 - (b) Triangulating by subtracting ears
 - (c) Triangulating convex polygons
 - (d) Triangulating monotone polygons
 - (e) Monotone partitioning



TRIANGULATING POLYGONS

Every polygon admits a triangulation

TRIANGULATING POLYGONS

Every polygon admits a triangulation


Lemma 1. Every polygon has at least one convex vertex (actually, at least three).

TRIANGULATING POLYGONS

Every polygon admits a triangulation

Lemma 1. Every polygon has at least one convex vertex (actually, at least three).

The vertex p with minimum x -coordinate (and, if there are more than one, the one with minimum y -coordinate) is convex.




TRIANGULATING POLYGONS

Every polygon admits a triangulation

Lemma 1. Every polygon has at least one convex vertex (actually, at least three).

The vertex p with minimum x -coordinate (and, if there are more than one, the one with minimum y -coordinate) is convex.




TRIANGULATING POLYGONS

Every polygon admits a triangulation

Lemma 1. Every polygon has at least one convex vertex (actually, at least three).

The vertex p with minimum x -coordinate (and, if there are more than one, the one with minimum y -coordinate) is convex.

So is the vertex q with maximum x -coordinate (which is different of the one with minimum one).



TRIANGULATING POLYGONS


Every polygon admits a triangulation

Lemma 1. Every polygon has at least one convex vertex (actually, at least three).

The vertex p with minimum x -coordinate (and, if there are more than one, the one with minimum y -coordinate) is convex.

So is the vertex q with maximum x -coordinate (which is different of the one with minimum one).

Finally, there is at least one vertex which is extreme in the direction orthogonal to pq and does not coincide with any of the above. This third vertex r is necessarily convex.



TRIANGULATING POLYGONS

Every polygon admits a triangulation

Lemma 1. Every polygon has at least one convex vertex (actually, at least three).

Lemma 2. Every n -gon with $n \geq 4$ has at least one internal diagonal.

TRIANGULATING POLYGONS


Every polygon admits a triangulation

Lemma 1. Every polygon has at least one convex vertex (actually, at least three).

Lemma 2. Every n -gon with $n \geq 4$ has at least one internal diagonal.

Let v_i be a convex vertex.

Then, either $v_{i-1}v_{i+1}$ is an internal diagonal...



TRIANGULATING POLYGONS

Every polygon admits a triangulation


Lemma 1. Every polygon has at least one convex vertex (actually, at least three).

Lemma 2. Every n -gon with $n \geq 4$ has at least one internal diagonal.

Let v_i be a convex vertex.

Then, either $v_{i-1}v_{i+1}$ is an internal diagonal...

or there exists a vertex of the polygon lying in the triangle $v_{i-1}v_iv_{i+1}$.



TRIANGULATING POLYGONS

Every polygon admits a triangulation

Lemma 1. Every polygon has at least one convex vertex (actually, at least three).


Lemma 2. Every n -gon with $n \geq 4$ has at least one internal diagonal.

Let v_i be a convex vertex.

Then, either $v_{i-1}v_{i+1}$ is an internal diagonal...

or there exists a vertex of the polygon lying in the triangle $v_{i-1}v_iv_{i+1}$.

In this case, among all the vertices lying in the triangle, let v_j be the farthest one from the segment $v_{i-1}v_{i+1}$. Then v_iv_j is an internal diagonal (it can not be intersected by any edge of the polygon).



TRIANGULATING POLYGONS

Every polygon admits a triangulation

Lemma 1. Every polygon has at least one convex vertex (actually, at least three).


Lemma 2. Every n -gon with $n \geq 4$ has at least one internal diagonal.

Let v_i be a convex vertex.

Then, either $v_{i-1}v_{i+1}$ is an internal diagonal...

or there exists a vertex of the polygon lying in the triangle $v_{i-1}v_iv_{i+1}$.

In this case, among all the vertices lying in the triangle, let v_j be the farthest one from the segment $v_{i-1}v_{i+1}$. Then v_iv_j is an internal diagonal (it can not be intersected by any edge of the polygon).



TRIANGULATING POLYGONS

Every polygon admits a triangulation

Lemma 1. Every polygon has at least one convex vertex (actually, at least three).

Lemma 2. Every n -gon with $n \geq 4$ has at least one internal diagonal.

Corollary. Every polygon can be triangulated. (By induction.)

TRIANGULATING POLYGONS

Properties of the triangulations of polygons

TRIANGULATING POLYGONS

Properties of the triangulations of polygons

Let P be a simple n -gon.

Property 1. Every triangulation of P has $n - 3$ diagonals.

TRIANGULATING POLYGONS

Properties of the triangulations of polygons

Let P be a simple n -gon.

Property 1. Every triangulation of P has $n - 3$ diagonals.


Proof by induction.

Base case: When $n = 3$, the number of diagonals is $d = 0 = n - 3$.

Inductive step: Consider a diagonal of a triangulation T of P , decomposing P into two subpolygons: a $(k + 1)$ -gon P_1 and an $(n - k + 1)$ -gon P_2 . By inductive hypothesis, the number of diagonals of the triangulations induced by T in P_1 and P_2 are:

$$\begin{aligned}d_1 &= k + 1 - 3, \\d_2 &= n - k + 1 - 3,\end{aligned}$$

therefore, $d = d_1 + d_2 + 1 = k + 1 - 3 + n - k + 1 - 3 + 1 = n - 3$.



TRIANGULATING POLYGONS

Properties of the triangulations of polygons

Let P be a simple n -gon.

Property 1. Every triangulation of P has $n - 3$ diagonals.

Property 2. Every triangulation of P has $n - 2$ triangles.

TRIANGULATING POLYGONS

Properties of the triangulations of polygons

Let P be a simple n -gon.

Property 1. Every triangulation of P has $n - 3$ diagonals.

Property 2. Every triangulation of P has $n - 2$ triangles.

Again, the proof is by induction.


Base case: When $n = 3$, the number of triangles is $t = 1 = n - 2$.

Inductive step: With the same conditions of the previous proof,

$$\begin{aligned}t_1 &= k + 1 - 2, \\t_2 &= n - k + 1 - 2,\end{aligned}$$

hence,

$$t = t_1 + t_2 = k + 1 - 2 + n - k + 1 - 2 = n - 2.$$



TRIANGULATING POLYGONS

Properties of the triangulations of polygons

Let P be a simple n -gon.

Property 1. Every triangulation of P has $n - 3$ diagonals.

Property 2. Every triangulation of P has $n - 2$ triangles.

Property 3. The dual graph of any triangulation of P is a tree.

TRIANGULATING POLYGONS

Properties of the triangulations of polygons

Let P be a simple n -gon.

Property 1. Every triangulation of P has $n - 3$ diagonals.


Property 2. Every triangulation of P has $n - 2$ triangles.

Property 3. The dual graph of any triangulation of P is a tree.

Given a triangulation of P , its dual graph has one vertex for each triangle, and one edge connecting two vertices whenever their corresponding triangles are adjacent. We want to prove that this graph is connected and acyclic.

The graph is trivially connected.

About the acyclicity: Notice that each edge of the dual graph “separates” the two endpoints of the internal diagonal of P shared by the two adjacent triangles. If the graph had a cycle, it would enclose the endpoint(s) of the diagonals intersected by the cycle and, therefore, it would enclose points belonging to the boundary of the polygon, contradicting the hypothesis that P is simple and without holes.



TRIANGULATING POLYGONS

Properties of the triangulations of polygons


Let P be a simple n -gon.

Property 1. Every triangulation of P has $n - 3$ diagonals.

Property 2. Every triangulation of P has $n - 2$ triangles.

Property 3. The dual graph of any triangulation of P is a tree.

Corollary. Every n -gon with $n \geq 4$ has at least two non-adjacent ears.



ALGORITHMS FOR POLYGON TRIANGULATION

TRIANGULATING POLYGONS

Triangulating a polygon by subtracting ears

TRIANGULATING POLYGONS

Triangulating a polygon by subtracting ears

Input: v_1, \dots, v_n , sorted list of the vertices of a simple polygon P .

Output: List of internal diagonals of P , $v_i v_j$, determining a triangulation of P .

TRIANGULATING POLYGONS

Triangulating a polygon by subtracting ears

Input: v_1, \dots, v_n , sorted list of the vertices of a simple polygon P .

Output: List of internal diagonals of P , $v_i v_j$, determining a triangulation of P .

Procedure

1. Sequentially explore the vertices until you find an ear
2. Cut it out
3. Proceed recursively

TRIANGULATING POLYGONS

Triangulating a polygon by subtracting ears

Input: v_1, \dots, v_n , sorted list of the vertices of a simple polygon P .

Output: List of internal diagonals of P , $v_i v_j$, determining a triangulation of P .

Procedure

1. Sequentially explore the vertices until you find an ear
2. Cut it out
3. Proceed recursively

Running time

TRIANGULATING POLYGONS

Triangulating a polygon by subtracting ears

Input: v_1, \dots, v_n , sorted list of the vertices of a simple polygon P .

Output: List of internal diagonals of P , $v_i v_j$, determining a triangulation of P .

Procedure

1. Sequentially explore the vertices until you find an ear
2. Cut it out
3. Proceed recursively

Running time

Detecting whether a vertex is convex: $O(1)$.

TRIANGULATING POLYGONS

Triangulating a polygon by subtracting ears

Input: v_1, \dots, v_n , sorted list of the vertices of a simple polygon P .

Output: List of internal diagonals of P , $v_i v_j$, determining a triangulation of P .

Procedure

1. Sequentially explore the vertices until you find an ear
2. Cut it out
3. Proceed recursively

Running time

Detecting whether a vertex is convex: $O(1)$.

Detecting whether a convex vertex is an ear: $O(n)$.

TRIANGULATING POLYGONS

Triangulating a polygon by subtracting ears

Input: v_1, \dots, v_n , sorted list of the vertices of a simple polygon P .

Output: List of internal diagonals of P , $v_i v_j$, determining a triangulation of P .

Procedure

1. Sequentially explore the vertices until you find an ear
2. Cut it out
3. Proceed recursively

Running time

Detecting whether a vertex is convex: $O(1)$.

Detecting whether a convex vertex is an ear: $O(n)$.

Finding an ear: $O(n^2)$.

TRIANGULATING POLYGONS

Triangulating a polygon by subtracting ears

Input: v_1, \dots, v_n , sorted list of the vertices of a simple polygon P .

Output: List of internal diagonals of P , $v_i v_j$, determining a triangulation of P .

Procedure

1. Sequentially explore the vertices until you find an ear
2. Cut it out
3. Proceed recursively

Running time

Detecting whether a vertex is convex: $O(1)$.

Detecting whether a convex vertex is an ear: $O(n)$.

Finding an ear: $O(n^2)$.

Overall running time:

$$T(n) = O(n^2) + O((n-1)^2) + O((n-2)^2) + \dots + O(1) = O(n^3).$$

TRIANGULATING POLYGONS

Triangulating a polygon by subtracting ears

Input: v_1, \dots, v_n , sorted list of the vertices of a simple polygon P .

Output: List of internal diagonals of P , $v_i v_j$, determining a triangulation of P .

Improved procedure

Initialization

1. Detect all convex vertices
2. Detect all ears

Advance

1. Crop an ear
2. Update the information of the convex vertices
3. Update the information of the ears

TRIANGULATING POLYGONS

Triangulating a polygon by subtracting ears

Input: v_1, \dots, v_n , sorted list of the vertices of a simple polygon P .

Output: List of internal diagonals of P , $v_i v_j$, determining a triangulation of P .

Improved procedure

Initialization

1. Detect all convex vertices
2. Detect all ears

Running time

$O(n)$
 $O(n^2)$ Only once

Advance

1. Crop an ear
2. Update the information of the convex vertices
3. Update the information of the ears

$O(1)$
 $O(1)$ $O(n)$ times
 $O(n)$

TRIANGULATING POLYGONS

Triangulating a polygon by subtracting ears

Input: v_1, \dots, v_n , sorted list of the vertices of a simple polygon P .

Output: List of internal diagonals of P , $v_i v_j$, determining a triangulation of P .

Improved procedure

Initialization

1. Detect all convex vertices
2. Detect all ears

Running time

$O(n)$
 $O(n^2)$ Only once

Advance

1. Crop an ear
2. Update the information of the convex vertices
3. Update the information of the ears

$O(1)$
 $O(1)$ $O(n)$ times
 $O(n)$

Running time: $O(n^2)$

TRIANGULATING POLYGONS

Triangulating a polygon by inserting diagonals

Input: v_1, \dots, v_n , sorted list of the vertices of a simple polygon P .

Output: List of internal diagonals of P , $v_i v_j$, determining a triangulation of P .

TRIANGULATING POLYGONS

Triangulating a polygon by inserting diagonals

Input: v_1, \dots, v_n , sorted list of the vertices of a simple polygon P .

Output: List of internal diagonals of P , $v_i v_j$, determining a triangulation of P .

Procedure:

1. Find an internal diagonal
2. Decompose the polygon into two subpolygons
3. Proceed recursively

TRIANGULATING POLYGONS

Triangulating a polygon by inserting diagonals

Input: v_1, \dots, v_n , sorted list of the vertices of a simple polygon P .

Output: List of internal diagonals of P , $v_i v_j$, determining a triangulation of P .

Procedure:

1. Find an internal diagonal
2. Decompose the polygon into two subpolygons
3. Proceed recursively

Test. How to decide whether a given segment $v_i v_j$ is an internal diagonal?

TRIANGULATING POLYGONS

Triangulating a polygon by inserting diagonals

Input: v_1, \dots, v_n , sorted list of the vertices of a simple polygon P .

Output: List of internal diagonals of P , $v_i v_j$, determining a triangulation of P .

Procedure:

1. Find an internal diagonal
2. Decompose the polygon into two subpolygons
3. Proceed recursively

Test. How to decide whether a given segment $v_i v_j$ is an internal diagonal?

Is it a diagonal?

TRIANGULATING POLYGONS

Triangulating a polygon by inserting diagonals

Input: v_1, \dots, v_n , sorted list of the vertices of a simple polygon P .

Output: List of internal diagonals of P , $v_i v_j$, determining a triangulation of P .

Procedure:

1. Find an internal diagonal
2. Decompose the polygon into two subpolygons
3. Proceed recursively

Test. How to decide whether a given segment $v_i v_j$ is an internal diagonal?

Is it a diagonal?

Check $v_i v_j$ against all segments $v_k v_{k+1}$ for intersection.

TRIANGULATING POLYGONS

Triangulating a polygon by inserting diagonals

Input: v_1, \dots, v_n , sorted list of the vertices of a simple polygon P .

Output: List of internal diagonals of P , $v_i v_j$, determining a triangulation of P .

Procedure:

1. Find an internal diagonal
2. Decompose the polygon into two subpolygons
3. Proceed recursively

Test. How to decide whether a given segment $v_i v_j$ is an internal diagonal?

Is it a diagonal?

Check $v_i v_j$ against all segments $v_k v_{k+1}$ for intersection.

Is it internal?

TRIANGULATING POLYGONS

Triangulating a polygon by inserting diagonals

Input: v_1, \dots, v_n , sorted list of the vertices of a simple polygon P .

Output: List of internal diagonals of P , $v_i v_j$, determining a triangulation of P .

Procedure:

1. Find an internal diagonal
2. Decompose the polygon into two subpolygons
3. Proceed recursively


Test. How to decide whether a given segment $v_i v_j$ is an internal diagonal?

Is it a diagonal?

Check $v_i v_j$ against all segments $v_k v_{k+1}$ for intersection.

Is it internal?

If v_i is convex, the oriented line $\overrightarrow{v_i v_j}$ should leave v_{i-1} to its left and v_{i+1} to its right.



TRIANGULATING POLYGONS

Triangulating a polygon by inserting diagonals

Input: v_1, \dots, v_n , sorted list of the vertices of a simple polygon P .

Output: List of internal diagonals of P , $v_i v_j$, determining a triangulation of P .

Procedure:

1. Find an internal diagonal
2. Decompose the polygon into two subpolygons
3. Proceed recursively

Test. How to decide whether a given segment $v_i v_j$ is an internal diagonal?


Is it a diagonal?

Check $v_i v_j$ against all segments $v_k v_{k+1}$ for intersection.

Is it internal?

If v_i is convex, the oriented line $\overrightarrow{v_i v_j}$ should leave v_{i-1} to its left and v_{i+1} to its right.

If v_i is reflex, the oriented line $\overrightarrow{v_i v_j}$ should not leave v_{i-1} to its right and v_{i+1} to its left.



TRIANGULATING POLYGONS

Tringulating a polygon by inserting diagonals

Input: v_1, \dots, v_n , sorted list of the vertices of a simple polygon P .

Output: List of internal diagonals of P , $v_i v_j$, determining a triangulation of P .

Procedure:

1. Find an internal diagonal
2. Decompose the polygon into two subpolygons
3. Proceed recursively

Running time

Test. How to decide whether a given segment $v_i v_j$ is an internal diagonal?

Is it a diagonal?

Check $v_i v_j$ against all segments $v_k v_{k+1}$ for intersection.

Is it internal?

If v_i is convex, the oriented line $\overrightarrow{v_i v_j}$ should leave v_{i-1} to its left and v_{i+1} to its right.

If v_i is reflex, the oriented line $\overrightarrow{v_i v_j}$ should not leave v_{i-1} to its right and v_{i+1} to its left.

TRIANGULATING POLYGONS

Triangulating a polygon by inserting diagonals

Input: v_1, \dots, v_n , sorted list of the vertices of a simple polygon P .

Output: List of internal diagonals of P , $v_i v_j$, determining a triangulation of P .

Procedure:

1. Find an internal diagonal
2. Decompose the polygon into two subpolygons
3. Proceed recursively

Running time

Test. How to decide whether a given segment $v_i v_j$ is an internal diagonal? $O(n)$

Is it a diagonal?

Check $v_i v_j$ against all segments $v_k v_{k+1}$ for intersection.

Is it internal?

If v_i is convex, the oriented line $\overrightarrow{v_i v_j}$ should leave v_{i-1} to its left and v_{i+1} to its right.

If v_i is reflex, the oriented line $\overrightarrow{v_i v_j}$ should not leave v_{i-1} to its right and v_{i+1} to its left.

TRIANGULATING POLYGONS

Triangulating a polygon by inserting diagonals

Input: v_1, \dots, v_n , sorted list of the vertices of a simple polygon P .

Output: List of internal diagonals of P , $v_i v_j$, determining a triangulation of P .

Procedure:

1. Find an internal diagonal
2. Decompose the polygon into two subpolygons
3. Proceed recursively

Running time

Test. How to decide whether a given segment $v_i v_j$ is an internal diagonal? $O(n)$

Search. How to find an internal diagonal?

TRIANGULATING POLYGONS

Triangulating a polygon by inserting diagonals

Input: v_1, \dots, v_n , sorted list of the vertices of a simple polygon P .

Output: List of internal diagonals of P , $v_i v_j$, determining a triangulation of P .

Procedure:

1. Find an internal diagonal
2. Decompose the polygon into two subpolygons
3. Proceed recursively

Running time

Test. How to decide whether a given segment $v_i v_j$ is an internal diagonal? $O(n)$

Search. How to find an internal diagonal?

Brute-force solution:

TRIANGULATING POLYGONS

Triangulating a polygon by inserting diagonals

Input: v_1, \dots, v_n , sorted list of the vertices of a simple polygon P .

Output: List of internal diagonals of P , $v_i v_j$, determining a triangulation of P .

Procedure:

1. Find an internal diagonal
2. Decompose the polygon into two subpolygons
3. Proceed recursively

Running time

Test. How to decide whether a given segment $v_i v_j$ is an internal diagonal? $O(n)$

Search. How to find an internal diagonal?

Brute-force solution:

Apply the test to each candidate segment.

TRIANGULATING POLYGONS

Triangulating a polygon by inserting diagonals

Input: v_1, \dots, v_n , sorted list of the vertices of a simple polygon P .

Output: List of internal diagonals of P , $v_i v_j$, determining a triangulation of P .

Procedure:

1. Find an internal diagonal
2. Decompose the polygon into two subpolygons
3. Proceed recursively

Running time

Test. How to decide whether a given segment $v_i v_j$ is an internal diagonal? $O(n)$

Search. How to find an internal diagonal?

Brute-force solution:

Apply the test to each candidate segment. $O(n^3)$

TRIANGULATING POLYGONS

Triangulating a polygon by inserting diagonals

Input: v_1, \dots, v_n , sorted list of the vertices of a simple polygon P .

Output: List of internal diagonals of P , $v_i v_j$, determining a triangulation of P .

Procedure:

1. Find an internal diagonal
2. Decompose the polygon into two subpolygons
3. Proceed recursively

Running time

Test. How to decide whether a given segment $v_i v_j$ is an internal diagonal? $O(n)$

Search. How to find an internal diagonal?

Brute-force solution:

Apply the test to each candidate segment.

$O(n^3)$

Testing each candidate takes $O(n)$ time, and there are $\binom{n}{2}$ of them.

TRIANGULATING POLYGONS

Triangulating a polygon by inserting diagonals

Input: v_1, \dots, v_n , sorted list of the vertices of a simple polygon P .

Output: List of internal diagonals of P , $v_i v_j$, determining a triangulation of P .

Procedure:

1. Find an internal diagonal
2. Decompose the polygon into two subpolygons
3. Proceed recursively

Running time

Test. How to decide whether a given segment $v_i v_j$ is an internal diagonal? $O(n)$

Search. How to find an internal diagonal?

Brute-force solution:

Apply the test to each candidate segment. $O(n^3)$

Applying previous results:

1. Find a convex vertex, v_i .
2. Detect whether $v_{i-1} v_{i+1}$ is an internal diagonal.
3. If so, report it.

Else, find the farthest v_k from the segment $v_{i-1} v_{i+1}$, lying in the triangle $v_{i-1} v_i v_{i+1}$.

TRIANGULATING POLYGONS

Triangulating a polygon by inserting diagonals

Input: v_1, \dots, v_n , sorted list of the vertices of a simple polygon P .

Output: List of internal diagonals of P , $v_i v_j$, determining a triangulation of P .

Procedure:

1. Find an internal diagonal
2. Decompose the polygon into two subpolygons
3. Proceed recursively

Running time

Test. How to decide whether a given segment $v_i v_j$ is an internal diagonal? $O(n)$

Search. How to find an internal diagonal?

Brute-force solution:

Apply the test to each candidate segment. $O(n^3)$

Applying previous results:

$O(n)$

1. Find a convex vertex, v_i .
2. Detect whether $v_{i-1} v_{i+1}$ is an internal diagonal.
3. If so, report it.

Else, find the farthest v_k from the segment $v_{i-1} v_{i+1}$, lying in the triangle $v_{i-1} v_i v_{i+1}$.

TRIANGULATING POLYGONS

Triangulating a polygon by inserting diagonals

Input: v_1, \dots, v_n , sorted list of the vertices of a simple polygon P .

Output: List of internal diagonals of P , $v_i v_j$, determining a triangulation of P .

Procedure:

1. Find an internal diagonal
2. Decompose the polygon into two subpolygons
3. Proceed recursively

Running time

Test. How to decide whether a given segment $v_i v_j$ is an internal diagonal? $O(n)$

Search. How to find an internal diagonal? $O(n)$

TRIANGULATING POLYGONS

Triangulating a polygon by inserting diagonals

Input: v_1, \dots, v_n , sorted list of the vertices of a simple polygon P .

Output: List of internal diagonals of P , $v_i v_j$, determining a triangulation of P .

Procedure:

1. Find an internal diagonal
2. Decompose the polygon into two subpolygons
3. Proceed recursively

Running time

Test. How to decide whether a given segment $v_i v_j$ is an internal diagonal? $O(n)$

Search. How to find an internal diagonal? $O(n)$

Partition. How to partition the polygon into two subpolygons?

TRIANGULATING POLYGONS

Triangulating a polygon by inserting diagonals

Input: v_1, \dots, v_n , sorted list of the vertices of a simple polygon P .

Output: List of internal diagonals of P , $v_i v_j$, determining a triangulation of P .

Procedure:

1. Find an internal diagonal
2. Decompose the polygon into two subpolygons
3. Proceed recursively

Running time

Test. How to decide whether a given segment $v_i v_j$ is an internal diagonal? $O(n)$

Search. How to find an internal diagonal? $O(n)$

Partition. How to partition the polygon into two subpolygons?

From the diagonal found, create the sorted list of the vertices of the two subpolygons.

TRIANGULATING POLYGONS

Triangulating a polygon by inserting diagonals

Input: v_1, \dots, v_n , sorted list of the vertices of a simple polygon P .

Output: List of internal diagonals of P , $v_i v_j$, determining a triangulation of P .

Procedure:

1. Find an internal diagonal
2. Decompose the polygon into two subpolygons
3. Proceed recursively

Running time

Test. How to decide whether a given segment $v_i v_j$ is an internal diagonal? $O(n)$

Search. How to find an internal diagonal? $O(n)$

Partition. How to partition the polygon into two subpolygons? $O(n)$

From the diagonal found, create the sorted list of the vertices of the two subpolygons.

TRIANGULATING POLYGONS

Triangulating a polygon by inserting diagonals

Input: v_1, \dots, v_n , sorted list of the vertices of a simple polygon P .

Output: List of internal diagonals of P , $v_i v_j$, determining a triangulation of P .

Procedure:

1. Find an internal diagonal
2. Decompose the polygon into two subpolygons
3. Proceed recursively

Running time

Test. How to decide whether a given segment $v_i v_j$ is an internal diagonal? $O(n)$

Search. How to find an internal diagonal? $O(n)$

Partition. How to partition the polygon into two subpolygons? $O(n)$

Total running time of the algorithm: $O(n^2)$

It finds $n - 3$ diagonals and each one is found in $O(n)$ time.

TRIANGULATING POLYGONS

Is it possible to triangulate a polygon more efficiently?

TRIANGULATING POLYGONS

Is it possible to triangulate a polygon more efficiently?

Triangulating a convex polygon

TRIANGULATING POLYGONS

Is it possible to triangulate a polygon more efficiently?

Triangulating a convex polygon


Trivially done in $O(n)$ time.

TRIANGULATING POLYGONS

Is it possible to triangulate a polygon more efficiently?

Triangulating a convex polygon

Trivially done in $O(n)$ time.




TRIANGULATING POLYGONS

Is it possible to triangulate a polygon more efficiently?

Triangulating a convex polygon

Trivially done in $O(n)$ time.




TRIANGULATING POLYGONS

Is it possible to triangulate a polygon more efficiently?

Triangulating a convex polygon

Trivially done in $O(n)$ time.




TRIANGULATING POLYGONS

Is it possible to triangulate a polygon more efficiently?

Triangulating a convex polygon

Trivially done in $O(n)$ time.




TRIANGULATING POLYGONS

Is it possible to triangulate a polygon more efficiently?

Triangulating a convex polygon

Trivially done in $O(n)$ time.




TRIANGULATING POLYGONS

Is it possible to triangulate a polygon more efficiently?

Triangulating a convex polygon

Trivially done in $O(n)$ time.




TRIANGULATING POLYGONS

Is it possible to triangulate a polygon more efficiently?

Triangulating a convex polygon

Trivially done in $O(n)$ time.




TRIANGULATING POLYGONS

Is it possible to triangulate a polygon more efficiently?

Triangulating a convex polygon

Trivially done in $O(n)$ time.




TRIANGULATING POLYGONS

Is it possible to triangulate a polygon more efficiently?

Triangulating a convex polygon

Trivially done in $O(n)$ time.




TRIANGULATING POLYGONS

Is it possible to triangulate a polygon more efficiently?

Triangulating a convex polygon

Trivially done in $O(n)$ time.




TRIANGULATING POLYGONS

Is it possible to triangulate a polygon more efficiently?

Triangulating a convex polygon

Trivially done in $O(n)$ time.




TRIANGULATING POLYGONS

Is it possible to triangulate a polygon more efficiently?

Triangulating a convex polygon

Trivially done in $O(n)$ time.




TRIANGULATING POLYGONS

Is it possible to triangulate a polygon more efficiently?

Triangulating a convex polygon

Trivially done in $O(n)$ time.



TRIANGULATING POLYGONS

Is it possible to triangulate a polygon more efficiently?

Triangulating a convex polygon

Trivially done in $O(n)$ time.

Triangulating a star-shaped polygon

Can be done in $O(n)$ time. Posed as problem.

TRIANGULATING POLYGONS

Is it possible to triangulate a polygon more efficiently?

Triangulating a convex polygon

Trivially done in $O(n)$ time.

Triangulating a star-shaped polygon

Can be done in $O(n)$ time. Posed as problem.

Triangulating a monotone polygon

It can also be done in $O(n)$ time. In the following we will see how.

TRIANGULATING POLYGONS


Monotone polygon

A polygon P is called **monotone** with respect to a direction ℓ if, for every line ℓ' orthogonal to ℓ , the intersection $P \cap \ell'$ is connected (i.e., it is a segment, a point or the empty set).

TRIANGULATING POLYGONS

Monotone polygon


A polygon P is called **monotone** with respect to a direction ℓ if, for every line ℓ' orthogonal to ℓ , the intersection $P \cap \ell'$ is connected (i.e., it is a segment, a point or the empty set).



TRIANGULATING POLYGONS

Monotone polygon


A polygon P is called **monotone** with respect to a direction ℓ if, for every line ℓ' orthogonal to ℓ , the intersection $P \cap \ell'$ is connected (i.e., it is a segment, a point or the empty set).



TRIANGULATING POLYGONS

Monotone polygon

A polygon P is called **monotone** with respect to a direction ℓ if, for every line ℓ' orthogonal to ℓ , the intersection $P \cap \ell'$ is connected (i.e., it is a segment, a point or the empty set).




TRIANGULATING POLYGONS

Monotone polygon

A polygon P is called **monotone** with respect to a direction ℓ if, for every line ℓ' orthogonal to ℓ , the intersection $P \cap \ell'$ is connected (i.e., it is a segment, a point or the empty set).

Local characterization

A polygon is y -monotone if and only if it does not have any cusp.




TRIANGULATING POLYGONS

Monotone polygon

A polygon P is called **monotone** with respect to a direction ℓ if, for every line ℓ' orthogonal to ℓ , the intersection $P \cap \ell'$ is connected (i.e., it is a segment, a point or the empty set).

Local characterization

A polygon is y -monotone if and only if it does not have any cusp.



TRIANGULATING POLYGONS


Monotone polygon

A polygon P is called **monotone** with respect to a direction ℓ if, for every line ℓ' orthogonal to ℓ , the intersection $P \cap \ell'$ is connected (i.e., it is a segment, a point or the empty set).

Local characterization

A polygon is y -monotone if and only if it does not have any cusp.

A **cusp** is a reflex vertex v of the polygon such that its two incident edges both lie to the same side of the horizontal line through v .



TRIANGULATING POLYGONS

Monotone polygon

A polygon P is called **monotone** with respect to a direction ℓ if, for every line ℓ' orthogonal to ℓ , the intersection $P \cap \ell'$ is connected (i.e., it is a segment, a point or the empty set).


Local characterization

A polygon is y -monotone if and only if it does not have any cusp.

A **cusp** is a reflex vertex v of the polygon such that its two incident edges both lie to the same side of the horizontal line through v .

Proof:

If the polygon has a local maximum cusp v , an infinitesimal downwards translation of the horizontal line through v would intersect the polygon in at least two connected components.



TRIANGULATING POLYGONS

Monotone polygon

A polygon P is called **monotone** with respect to a direction ℓ if, for every line ℓ' orthogonal to ℓ , the intersection $P \cap \ell'$ is connected (i.e., it is a segment, a point or the empty set).

Local characterization


A polygon is y -monotone if and only if it does not have any cusp.

A **cusp** is a reflex vertex v of the polygon such that its two incident edges both lie to the same side of the horizontal line through v .

Proof:

If the polygon has a local maximum cusp v , an infinitesimal downwards translation of the horizontal line through v would intersect the polygon in at least two connected components.

If the polygon is not monotone, let ℓ be a horizontal line intersecting the polygon in two or more connected components. Consider two consecutive components, with facing endpoints p and q as in the figure. The polygon boundary needs to connect p and q . No matter whether it goes through ℓ^+ or ℓ^- , it will have a cusp.



TRIANGULATING POLYGONS

Monotone polygon

A polygon P is called **monotone** with respect to a direction ℓ if, for every line ℓ' orthogonal to ℓ , the intersection $P \cap \ell'$ is connected (i.e., it is a segment, a point or the empty set).

Local characterization


A polygon is y -monotone if and only if it does not have any cusp.

A **cusp** is a reflex vertex v of the polygon such that its two incident edges both lie to the same side of the horizontal line through v .

Proof:

If the polygon has a local maximum cusp v , an infinitesimal downwards translation of the horizontal line through v would intersect the polygon in at least two connected components.

If the polygon is not monotone, let ℓ be a horizontal line intersecting the polygon in two or more connected components. Consider two consecutive components, with facing endpoints p and q as in the figure. The polygon boundary needs to connect p and q . No matter whether it goes through ℓ^+ or ℓ^- , it will have a cusp.



TRIANGULATING POLYGONS

Monotone polygon

A polygon P is called **monotone** with respect to a direction ℓ if, for every line ℓ' orthogonal to ℓ , the intersection $P \cap \ell'$ is connected (i.e., it is a segment, a point or the empty set).

Local characterization


A polygon is y -monotone if and only if it does not have any cusp.

A **cusp** is a reflex vertex v of the polygon such that its two incident edges both lie to the same side of the horizontal line through v .

Proof:

If the polygon has a local maximum cusp v , an infinitesimal downwards translation of the horizontal line through v would intersect the polygon in at least two connected components.

If the polygon is not monotone, let ℓ be a horizontal line intersecting the polygon in two or more connected components. Consider two consecutive components, with facing endpoints p and q as in the figure. The polygon boundary needs to connect p and q . No matter whether it goes through ℓ^+ or ℓ^- , it will have a cusp.



TRIANGULATING POLYGONS

Monotone polygon

A polygon P is called **monotone** with respect to a direction ℓ if, for every line ℓ' orthogonal to ℓ , the intersection $P \cap \ell'$ is connected (i.e., it is a segment, a point or the empty set).

Local characterization

A polygon is y -monotone if and only if it does not have any cusp.

A **cusp** is a reflex vertex v of the polygon such that its two incident edges both lie to the same side of the horizontal line through v .

TRIANGULATING POLYGONS

Monotone polygon

A polygon P is called **monotone** with respect to a direction ℓ if, for every line ℓ' orthogonal to ℓ , the intersection $P \cap \ell'$ is connected (i.e., it is a segment, a point or the empty set).


Local characterization

A polygon is y -monotone if and only if it does not have any cusp.

A **cusp** is a reflex vertex v of the polygon such that its two incident edges both lie to the same side of the horizontal line through v .

Corollary

If a polygon is y -monotone, then it can be decomposed into two y -monotone non intersecting chains sharing their endpoints.



TRIANGULATING POLYGONS

Triangulating a monotone polygon

TRIANGULATING POLYGONS

Triangulating a monotone polygon

The vertices of the polygon P are processed by decreasing order of their y -coordinate.


TRIANGULATING POLYGONS

Triangulating a monotone polygon

The vertices of the polygon P are processed by decreasing order of their y -coordinate.

During the process a queue Q is used to store the vertices that have already been visited but are still needed in order to generate the triangulation. Characteristics of Q :

- The topmost vertex in Q , is a convex vertex of the subpolygon P' still to be triangulated.
- All the remaining vertices in Q are reflex.
- All the vertices in Q belong to the same monotone chain of P' .



TRIANGULATING POLYGONS


Triangulating a monotone polygon

The vertices of the polygon P are processed by decreasing order of their y -coordinate.

During the process a queue Q is used to store the vertices that have already been visited but are still needed in order to generate the triangulation. Characteristics of Q :

- The topmost vertex in Q , is a convex vertex of the subpolygon P' still to be triangulated.
- All the remaining vertices in Q are reflex.
- All the vertices in Q belong to the same monotone chain of P' .

Processing a vertex v_i :



TRIANGULATING POLYGONS

Triangulating a monotone polygon


The vertices of the polygon P are processed by decreasing order of their y -coordinate.

During the process a queue Q is used to store the vertices that have already been visited but are still needed in order to generate the triangulation. Characteristics of Q :

- The topmost vertex in Q , is a convex vertex of the subpolygon P' still to be triangulated.
- All the remaining vertices in Q are reflex.
- All the vertices in Q belong to the same monotone chain of P' .

Processing a vertex v_i :

- If v_i belongs to the opposite chain, report the diagonals connecting v_i to every vertex of Q and delete them all from Q , except the last one. Add v_i to Q .



TRIANGULATING POLYGONS

Triangulating a monotone polygon


The vertices of the polygon P are processed by decreasing order of their y -coordinate.

During the process a queue Q is used to store the vertices that have already been visited but are still needed in order to generate the triangulation. Characteristics of Q :

- The topmost vertex in Q , is a convex vertex of the subpolygon P' still to be triangulated.
- All the remaining vertices in Q are reflex.
- All the vertices in Q belong to the same monotone chain of P' .

Processing a vertex v_i :

- If v_i belongs to the opposite chain, report the diagonals connecting v_i to every vertex of Q and delete them all from Q , except the last one. Add v_i to Q .



TRIANGULATING POLYGONS

Triangulating a monotone polygon


The vertices of the polygon P are processed by decreasing order of their y -coordinate.

During the process a queue Q is used to store the vertices that have already been visited but are still needed in order to generate the triangulation. Characteristics of Q :

- The topmost vertex in Q , is a convex vertex of the subpolygon P' still to be triangulated.
- All the remaining vertices in Q are reflex.
- All the vertices in Q belong to the same monotone chain of P' .

Processing a vertex v_i :

- If v_i belongs to the opposite chain, report the diagonals connecting v_i to every vertex of Q and delete them all from Q , except the last one. Add v_i to Q .
- If v_i belongs to the same chain and produces a reflex turn, add v_i to Q .



TRIANGULATING POLYGONS

Triangulating a monotone polygon


The vertices of the polygon P are processed by decreasing order of their y -coordinate.

During the process a queue Q is used to store the vertices that have already been visited but are still needed in order to generate the triangulation. Characteristics of Q :

- The topmost vertex in Q , is a convex vertex of the subpolygon P' still to be triangulated.
- All the remaining vertices in Q are reflex.
- All the vertices in Q belong to the same monotone chain of P' .

Processing a vertex v_i :

- If v_i belongs to the opposite chain, report the diagonals connecting v_i to every vertex of Q and delete them all from Q , except the last one. Add v_i to Q .
- If v_i belongs to the same chain and produces a reflex turn, add v_i to Q .
- If v_i belongs to the same chain and produces a convex turn, report the diagonal connecting v_i to the penultimate element of Q , delete the last element of Q and process v_i again.



TRIANGULATING POLYGONS

Triangulating a monotone polygon


The vertices of the polygon P are processed by decreasing order of their y -coordinate.

During the process a queue Q is used to store the vertices that have already been visited but are still needed in order to generate the triangulation. Characteristics of Q :

- The topmost vertex in Q , is a convex vertex of the subpolygon P' still to be triangulated.
- All the remaining vertices in Q are reflex.
- All the vertices in Q belong to the same monotone chain of P' .


Processing a vertex v_i :

- If v_i belongs to the opposite chain, report the diagonals connecting v_i to every vertex of Q and delete them all from Q , except the last one. Add v_i to Q .
- If v_i belongs to the same chain and produces a reflex turn, add v_i to Q .
- If v_i belongs to the same chain and produces a convex turn, report the diagonal connecting v_i to the penultimate element of Q , delete the last element of Q and process v_i again.



TRIANGULATING POLYGONS

Triangulating a monotone polygon




TRIANGULATING POLYGONS

Triangulating a monotone polygon

Start

Queue state

1, 2



TRIANGULATING POLYGONS


Triangulating a monotone polygon

Current vertex: 3

Add

Queue state:

1, 2, 3



TRIANGULATING POLYGONS


Triangulating a monotone polygon

Current vertex: 4

Add

Queue state:

1, 2, 3, 4



TRIANGULATING POLYGONS


Triangulating a monotone polygon

Current vertex: 5

Add

Queue state:

1, 2, 3, 4, 5



TRIANGULATING POLYGONS


Triangulating a monotone polygon

Current vertex: 6

Add

Queue state:

1, 2, 3, 4, 5, 6



TRIANGULATING POLYGONS


Triangulating a monotone polygon

Current vertex: 7

Opposite chain

Queue state:

6, 7



TRIANGULATING POLYGONS


Triangulating a monotone polygon

Current vertex: 8

Ear

Queue state:

6, 8



TRIANGULATING POLYGONS


Triangulating a monotone polygon

Current vertex: 9

Ear

Queue state:

6, 9



TRIANGULATING POLYGONS


Triangulating a monotone polygon

Current vertex: 10

Add

Queue state:

6, 9, 10



TRIANGULATING POLYGONS


Triangulating a monotone polygon

Current vertex: 11

Add

Queue state:

6, 9, 10, 11



TRIANGULATING POLYGONS


Triangulating a monotone polygon

Current vertex: 12

Add

Queue state:

6, 9, 10, 11, 12



TRIANGULATING POLYGONS


Triangulating a monotone polygon

Current vertex: 13

Ear

Queue state:

6, 9, 10, 13



TRIANGULATING POLYGONS


Triangulating a monotone polygon

Current vertex: 14

Ear

Queue state:

6, 9, 10, 14



TRIANGULATING POLYGONS


Triangulating a monotone polygon

Current vertex: 15

Opposite chain

Queue state:

14, 15



TRIANGULATING POLYGONS


Triangulating a monotone polygon

Current vertex: 16

Opposite chain

Queue state:

15, 16



TRIANGULATING POLYGONS


Triangulating a monotone polygon

Current vertex: 17

Ear

Queue state:

15, 17



TRIANGULATING POLYGONS


Triangulating a monotone polygon

Current vertex: 18

Ear

Queue state:

15, 18



TRIANGULATING POLYGONS


Triangulating a monotone polygon

Current vertex: 19

Opposite chain


Queue state:

18, 19: edge



TRIANGULATING POLYGONS

Triangulating a monotone polygon




End

TRIANGULATING POLYGONS

Triangulating a monotone polygon

Running time: $O(n)$

Each vertex is removed from the queue Q in $O(1)$ time.



TRIANGULATING POLYGONS

Summarizing

Running time for triangulating a polygon:

- $O(n^2)$ by subtracting ears
- $O(n^2)$ by inserting diagonals

If the polygon is convex:

- $O(n)$ trivially

If the polygon is monotone:

- $O(n)$ scanning the monotone chains in order

TRIANGULATING POLYGONS

Summarizing

Running time for triangulating a polygon:

- $O(n^2)$ by subtracting ears
- $O(n^2)$ by inserting diagonals

If the polygon is convex:

- $O(n)$ trivially

If the polygon is monotone:

- $O(n)$ scanning the monotone chains in order

Is it possible to be more efficient?

TRIANGULATING POLYGONS

Summarizing

Running time for triangulating a polygon:

- $O(n^2)$ by subtracting ears
- $O(n^2)$ by inserting diagonals

If the polygon is convex:

- $O(n)$ trivially

If the polygon is monotone:


- $O(n)$ scanning the monotone chains in order

Is it possible to be more efficient? Yes!

1. Decompose the polygon into monotone subpolygons
2. Triangulate the monotone subpolygons

TRIANGULATING POLYGONS


Monotone partition



TRIANGULATING POLYGONS

Monotone partition


In order to create a monotone partition of a polygon, all cusps need to be “broken” by internal diagonals.



TRIANGULATING POLYGONS

Monotone partition


In order to create a monotone partition of a polygon, all cusps need to be “broken” by internal diagonals.



TRIANGULATING POLYGONS

Monotone partition


In order to create a monotone partition of a polygon, all cusps need to be “broken” by internal diagonals.



TRIANGULATING POLYGONS

Monotone partition

In order to create a monotone partition of a polygon, all cusps need to be “broken” by internal diagonals.




TRIANGULATING POLYGONS

Monotone partition

In order to create a monotone partition of a polygon, all cusps need to be “broken” by internal diagonals.

This can be done starting from a trapezoidal decomposition of the polygon.




TRIANGULATING POLYGONS

Monotone partition

In order to create a monotone partition of a polygon, all cusps need to be “broken” by internal diagonals.

This can be done starting from a trapezoidal decomposition of the polygon.




TRIANGULATING POLYGONS

Monotone partition

In order to create a monotone partition of a polygon, all cusps need to be “broken” by internal diagonals.

This can be done starting from a trapezoidal decomposition of the polygon.

Connect each cusp with the opposite vertex in its trapezoid (the upper trapezoid, if the cusp is a local maximum, the lower one, if it is a local minimum).




TRIANGULATING POLYGONS

Monotone partition

In order to create a monotone partition of a polygon, all cusps need to be “broken” by internal diagonals.

This can be done starting from a trapezoidal decomposition of the polygon.

Connect each cusp with the opposite vertex in its trapezoid (the upper trapezoid, if the cusp is a local maximum, the lower one, if it is a local minimum).




TRIANGULATING POLYGONS

Monotone partition

In order to create a monotone partition of a polygon, all cusps need to be “broken” by internal diagonals.

This can be done starting from a trapezoidal decomposition of the polygon.

Connect each cusp with the opposite vertex in its trapezoid (the upper trapezoid, if the cusp is a local maximum, the lower one, if it is a local minimum).




TRIANGULATING POLYGONS

Monotone partition

In order to create a monotone partition of a polygon, all cusps need to be “broken” by internal diagonals.

This can be done starting from a trapezoidal decomposition of the polygon.

Connect each cusp with the opposite vertex in its trapezoid (the upper trapezoid, if the cusp is a local maximum, the lower one, if it is a local minimum).




TRIANGULATING POLYGONS

Monotone partition

In order to create a monotone partition of a polygon, all cusps need to be “broken” by internal diagonals.

This can be done starting from a trapezoidal decomposition of the polygon.

Connect each cusp with the opposite vertex in its trapezoid (the upper trapezoid, if the cusp is a local maximum, the lower one, if it is a local minimum).



TRIANGULATING POLYGONS

Monotone partition


In order to create a monotone partition of a polygon, all cusps need to be “broken” by internal diagonals.

This can be done starting from a trapezoidal decomposition of the polygon.

Connect each cusp with the opposite vertex in its trapezoid (the upper trapezoid, if the cusp is a local maximum, the lower one, if it is a local minimum).

This gives rise to a correct algorithm:

- The diagonals do not intersect, because they belong to different trapezoids.
- The polygon ends up decomposed into monotone subpolygons.



TRIANGULATING POLYGONS

Monotone partition

Sweep line algorithm

TRIANGULATING POLYGONS

Monotone partition

Sweep line algorithm

- Events queue

All vertices of the polygon, sorted by their y -coordinate.

TRIANGULATING POLYGONS

Monotone partition

Sweep line algorithm

- Events queue

All vertices of the polygon, sorted by their y -coordinate.

- Sweep line

Each of the traversed edges of the polygon, together with the information of the trapezoid lying to their right or left, and the upper vertex of it.

TRIANGULATING POLYGONS

Monotone partition

Updating the sweep line:


- Passing vertex: replace
- Local minimum cusp: delete
- Local maximum cusp: insert
- Initial vertex: insert
- Final vertex: delete

TRIANGULATING POLYGONS

Monotone partition

Updating the sweep line:

- Passing vertex: replace
- Local minimum cusp: delete
- Local maximum cusp: insert
- Initial vertex: insert
- Final vertex: delete




TRIANGULATING POLYGONS

Monotone partition

Updating the sweep line:

- Passing vertex: replace
- Local minimum cusp: delete
- Local maximum cusp: insert
- Initial vertex: insert
- Final vertex: delete




TRIANGULATING POLYGONS

Monotone partition

Updating the sweep line:

- Passing vertex: replace
- Local minimum cusp: delete
- Local maximum cusp: insert
- Initial vertex: insert
- Final vertex: delete




TRIANGULATING POLYGONS

Monotone partition

Updating the sweep line:

- Passing vertex: replace
- Local minimum cusp: delete
- Local maximum cusp: insert
- Initial vertex: insert
- Final vertex: delete




TRIANGULATING POLYGONS

Monotone partition

Updating the sweep line:

- Passing vertex: replace
- Local minimum cusp: delete
- Local maximum cusp: insert
- Initial vertex: insert
- Final vertex: delete




TRIANGULATING POLYGONS

Monotone partition

Updating the sweep line:

- Passing vertex: replace
- Local minimum cusp: delete
- Local maximum cusp: insert
- Initial vertex: insert
- Final vertex: delete



TRIANGULATING POLYGONS

Monotone partition

Updating the sweep line:

- Passing vertex: replace
- Local minimum cusp: delete
- Local maximum cusp: insert
- Initial vertex: insert
- Final vertex: delete

In addition, update the information of the upper vertex of the starting trapezoids, when necessary.


TRIANGULATING POLYGONS

Monotone partition

Updating the sweep line:

- Passing vertex: replace
- Local minimum cusp: delete
- Local maximum cusp: insert
- Initial vertex: insert
- Final vertex: delete

In addition, update the information of the upper vertex of the starting trapezoids, when necessary.




TRIANGULATING POLYGONS

Monotone partition

Updating the sweep line:

- Passing vertex: replace
- Local minimum cusp: delete
- Local maximum cusp: insert
- Initial vertex: insert
- Final vertex: delete

In addition, update the information of the upper vertex of the starting trapezoids, when necessary.




TRIANGULATING POLYGONS

Monotone partition

Updating the sweep line:

- Passing vertex: replace
- Local minimum cusp: delete
- Local maximum cusp: insert
- Initial vertex: insert
- Final vertex: delete

In addition, update the information of the upper vertex of the starting trapezoids, when necessary.




TRIANGULATING POLYGONS

Monotone partition

Updating the sweep line:

- Passing vertex: replace
- Local minimum cusp: delete
- Local maximum cusp: insert
- Initial vertex: insert
- Final vertex: delete

In addition, update the information of the upper vertex of the starting trapezoids, when necessary.




TRIANGULATING POLYGONS

Monotone partition

Updating the sweep line:

- Passing vertex: replace
- Local minimum cusp: delete
- Local maximum cusp: insert
- Initial vertex: insert
- Final vertex: delete

In addition, update the information of the upper vertex of the starting trapezoids, when necessary.



TRIANGULATING POLYGONS

Monotone partition

As for diagonals:


- Passing vertex: nothing
- Local minimum cusp: wait until it can be connect to the final vertex of the starting trapezoid
- Local maximum cusp: connect it with the initial vertex of the ending trapezoid
- Initial vertex: nothing
- Final vertex: nothing

TRIANGULATING POLYGONS

Monotone partition

As for diagonals:

- Passing vertex: nothing
- Local minimum cusp: wait until it can be connect to the final vertex of the starting trapezoid
- Local maximum cusp: connect it with the initial vertex of the ending trapezoid
- Initial vertex: nothing
- Final vertex: nothing




TRIANGULATING POLYGONS

Monotone partition

As for diagonals:

- Passing vertex: nothing
- Local minimum cusp: wait until it can be connect to the final vertex of the starting trapezoid
- Local maximum cusp: connect it with the initial vertex of the ending trapezoid
- Initial vertex: nothing
- Final vertex: nothing




TRIANGULATING POLYGONS

Monotone partition

As for diagonals:

- Passing vertex: nothing
- Local minimum cusp: wait until it can be connect to the final vertex of the starting trapezoid
- Local maximum cusp: connect it with the initial vertex of the ending trapezoid
- Initial vertex: nothing
- Final vertex: nothing




TRIANGULATING POLYGONS

Monotone partition

As for diagonals:

- Passing vertex: nothing
- Local minimum cusp: wait until it can be connect to the final vertex of the starting trapezoid
- Local maximum cusp: connect it with the initial vertex of the ending trapezoid
- Initial vertex: nothing
- Final vertex: nothing




TRIANGULATING POLYGONS

Monotone partition

As for diagonals:

- Passing vertex: nothing
- Local minimum cusp: wait until it can be connect to the final vertex of the starting trapezoid
- Local maximum cusp: connect it with the initial vertex of the ending trapezoid
- Initial vertex: nothing
- Final vertex: nothing




TRIANGULATING POLYGONS

Monotone partition

vertex
1

sweep line
 v_1
—
 e_1, e_{19}



TRIANGULATING POLYGONS

Monotone partition


vertex
18

sweep line

v_1

 e_1, e_{19} v_{18}

 e_{18}, e_{17}




TRIANGULATING POLYGONS

Monotone partition

vertex
3

sweep line
 ~~v_1~~ v_{18}
 $e_1, e_{19}, e_{18}, e_{17}$
 e_2, e_3




TRIANGULATING POLYGONS

Monotone partition

vertex
3

sweep line
~~v1~~ v18
e1, e19, e18, e17
e2, e3

Diagonal 1 – 3




TRIANGULATING POLYGONS

Monotone partition

vertex
19

sweep line

v_3	v_3	v_{18}
<hr/>		
$e_1, e_2, e_3, \cancel{e_{19}}, \cancel{e_{18}}, e_{17}$		




TRIANGULATING POLYGONS

Monotone partition

vertex
2

sweep line
 v_3 v_{19}
 ~~e_1, e_2, e_3, e_{17}~~




TRIANGULATING POLYGONS

Monotone partition

vertex
17


sweep line
 ~~v_{19}~~

 ~~e_3, e_{17}~~
↑
 e_{16}




TRIANGULATING POLYGONS

Monotone partition





Diagonal 19 – 17



TRIANGULATING POLYGONS

Monotone partition




TRIANGULATING POLYGONS

Monotone partition

vertex
16



sweep line
 ~~v_{17}~~ ~~v_{15}~~

 $e_3, e_{16}, e_{15}, e_{14}$



TRIANGULATING POLYGONS

Monotone partition




TRIANGULATING POLYGONS

Monotone partition

vertex
6

sweep line
~~v5~~ v16
~~e5, e4, e3, e14~~
↑
e6




TRIANGULATING POLYGONS

Monotone partition



vertex
7

sweep line
~~v6~~ v16
~~e6, e4, e3, e14~~
↑
e7




TRIANGULATING POLYGONS

Monotone partition




TRIANGULATING POLYGONS

Monotone partition



Diagonal 16 – 14




TRIANGULATING POLYGONS

Monotone partition

vertex
4

sweep line
 ~~v_7~~ ~~v_{14}~~

 $e_7, \cancel{e_4}, \cancel{e_3}, e_{13}$




TRIANGULATING POLYGONS

Monotone partition

vertex
9

sweep line
~~v4~~
e7, e13
e8, e9




TRIANGULATING POLYGONS

Monotone partition

vertex
9

sweep line
~~4~~
e7, e13
e8, e9

Diagonal 4 – 9



TRIANGULATING POLYGONS


Monotone partition

vertex
13

sweep line

v_9	v_9
<hr/>	
$e_7, e_8, \cancel{e_9}, e_{13}$	

\uparrow
 e_{12}




TRIANGULATING POLYGONS

Monotone partition

vertex
8

sweep line
 v_9 v_{13}
 ~~e_7, e_8, e_9, e_{12}~~




TRIANGULATING POLYGONS

Monotone partition


vertex
11

sweep line
 ~~$v \times 3$~~
 e_9, e_{12}
 e_{10}, e_{11}




TRIANGULATING POLYGONS

Monotone partition



Diagonal 13 – 11




TRIANGULATING POLYGONS

Monotone partition

vertex
12

sweep line

v_{11}	v_{11}
<hr/>	
$e_9, e_{10}, e_{11}, e_{12}$	




TRIANGULATING POLYGONS

Monotone partition


vertex
10

sweep line
 v_{11}
 ~~e_9, e_{10}~~




TRIANGULATING POLYGONS

Monotone partition



TRIANGULATING POLYGONS

Monotone partition




TRIANGULATING POLYGONS

Monotone partition

Running time:

- Sorting the vertices in the events queue: $O(n \log n)$ time.
- On each event, replace, insert or delete in $O(\log n)$ time.
- There are n events.

The algorithm runs in $O(n \log n)$ time.



TRIANGULATING POLYGONS

Summarizing

Running time of polygon triangulation:

- $O(n^2)$ by substracting ears
- $O(n^2)$ by inserting diagonals
- $O(n \log n)$ by:
 1. Decomposing the polygon into monotone subpolygons in $O(n \log n)$ time
 2. Triangulating each monotone subpolygon in $O(n)$ time

TRIANGULATING POLYGONS

Summarizing

Running time of polygon triangulation:

- $O(n^2)$ by substracting ears
- $O(n^2)$ by inserting diagonals
- $O(n \log n)$ by:
 1. Decomposing the polygon into monotone subpolygons in $O(n \log n)$ time
 2. Triangulating each monotone subpolygon in $O(n)$ time

Is it possible to triangulate a polygon in $o(n \log n)$ time?

TRIANGULATING POLYGONS

Summarizing

Running time of polygon triangulation:

- $O(n^2)$ by substracting ears
- $O(n^2)$ by inserting diagonals
- $O(n \log n)$ by:
 1. Decomposing the polygon into monotone subpolygons in $O(n \log n)$ time
 2. Triangulating each monotone subpolygon in $O(n)$ time

Is it possible to triangulate a polygon in $o(n \log n)$ time?

Yes.

There exists an algorithm to triangulate an n -gon in $O(n)$ time, but it is too complicated and, in practice, it is not used.

STORING THE POLYGON TRIANGULATION

Storing the polygon triangulation

Possible options, advantages and disadvantages

Storing the polygon triangulation

Possible options, advantages and disadvantages

Storing the list of all the diagonals of the triangulation

Storing the polygon triangulation

Possible options, advantages and disadvantages

Storing the list of all the diagonals of the triangulation

Advantage: small memory usage.

Disadvantage: it suffices to draw the triangulation, but it does not contain incidence and adjacency information. For example, finding the triangles incident to a given diagonal, or finding the triangles adjacent to a given triangle are expensive computations.

Storing the polygon triangulation

Possible options, advantages and disadvantages

Storing the list of all the diagonals of the triangulation

Advantage: small memory usage.

Disadvantage: it suffices to draw the triangulation, but it does not contain incidence and adjacency information. For example, finding the triangles incident to a given diagonal, or finding the triangles adjacent to a given triangle are expensive computations.

For each triangle, storing the sorted list of its vertices and edges, as well as the sorted list of its neighbors.

Storing the polygon triangulation

Possible options, advantages and disadvantages

Storing the list of all the diagonals of the triangulation

Advantage: small memory usage.

Disadvantage: it suffices to draw the triangulation, but it does not contain incidence and adjacency information. For example, finding the triangles incident to a given diagonal, or finding the triangles adjacent to a given triangle are expensive computations.

For each triangle, storing the sorted list of its vertices and edges, as well as the sorted list of its neighbors.

Advantage: allows to quickly recover incidence and adjacency information.

Disadvantage: the stored data is redundant and it uses more space than required.

Storing the polygon triangulation

Possible options, advantages and disadvantages

Storing the list of all the diagonals of the triangulation

Advantage: small memory usage.

Disadvantage: it suffices to draw the triangulation, but it does not contain incidence and adjacency information. For example, finding the triangles incident to a given diagonal, or finding the triangles adjacent to a given triangle are expensive computations.

For each triangle, storing the sorted list of its vertices and edges, as well as the sorted list of its neighbors.

Advantage: allows to quickly recover incidence and adjacency information.


Disadvantage: the stored data is redundant and it uses more space than required.

The data structure which is most frequently used to store a triangulation is the DCEL (doubly connected edge list).

The DCEL is also used to store plane partitions, polyhedra, meshes, etc.


Storing the polygon triangulation

DCEL




Storing the polygon triangulation

DCEL




Storing the polygon triangulation

DCEL




Storing the polygon triangulation

DCEL




Storing the polygon triangulation

DCEL




Storing the polygon triangulation

DCEL




Storing the polygon triangulation

DCEL




Storing the polygon triangulation

DCEL




Storing the polygon triangulation

DCEL




Storing the polygon triangulation

DCEL




Storing the polygon triangulation

DCEL




Storing the polygon triangulation



Storing the polygon triangulation

Table of faces


f	e
1	11
2	4
3	10
4	11
5	1
6	6
7	2
∞	9



Storing the polygon triangulation

Table of vertices

v	x	y	e
1	x_1	y_1	1
2	x_2	y_2	1
3	x_3	y_3	2
4	x_4	y_4	10
5	x_5	y_5	4
6	x_6	y_6	6
7	x_7	y_7	10
8	x_8	y_8	8
9	x_9	y_9	9





Storing the polygon triangulation

DCEL

e	v_B	v_E	f_L	f_R	e_P	e_N
1	1	2	5	∞	9	2
2	2	3	7	∞	13	3
3	4	3	∞	7	4	2
4	4	5	2	∞	15	5
5	5	6	2	∞	4	6
6	6	7	6	∞	15	7
7	7	8	4	∞	11	8
8	8	9	4	∞	7	9
9	9	1	5	∞	12	1
10	4	7	3	6	13	6
11	9	7	4	1	8	14
12	2	9	5	1	1	11
13	2	4	3	7	14	3
14	2	7	1	3	12	10
15	4	6	6	2	10	5

DCEL




Storing the polygon triangulation

Storage space

- For each face:
1 pointer
- For each vertex:
2 coordinates + 1 pointer
- For each edge:
6 pointers


In total, the storage space is $O(n)$.



Storing the polygon triangulation

DCEL


There are other DCEL variants, as for example:



Storing the polygon triangulation

DCEL

There are other DCEL variants, as for example:




Storing the polygon triangulation

DCEL

There are other DCEL variants, as for example:

$$\begin{aligned} e &\longrightarrow v_B, f_R, e_N, e' \\ e' &\longrightarrow v_B, f_R, e_N, e \end{aligned}$$




Storing the polygon triangulation

DCEL

There are other DCEL variants, as for example:

$$\begin{aligned} e &\longrightarrow v_B, f_R, e_N, e' \\ e' &\longrightarrow v_B, f_R, e_N, e \end{aligned}$$




Storing the polygon triangulation

DCEL

There are other DCEL variants, as for example:

$$\begin{aligned} e &\longrightarrow v_B, f_R, e_N, e' \\ e' &\longrightarrow v_B, f_R, e_N, e \end{aligned}$$




Storing the polygon triangulation

DCEL

There are other DCEL variants, as for example:


$$e \longrightarrow v_B, f_R, e_N, e'$$

$$e' \longrightarrow v_B, f_R, e_N, e$$



Storing the polygon triangulation


e	v_B	v_E	f_L	f_R	e_P	e_N
1	1	2	5	∞	9	2
2	2	3	7	∞	13	3
3	4	3	∞	7	4	2
4	4	5	2	∞	15	5
5	5	6	2	∞	4	6
6	6	7	6	∞	15	7
7	7	8	4	∞	11	8
8	8	9	4	∞	7	9
9	9	1	5	∞	12	1
10	4	7	3	6	13	6
11	9	7	4	1	8	14
12	2	9	5	1	1	11
13	2	4	3	7	14	3
14	2	7	1	3	12	10
15	4	6	6	2	10	5



Storing the polygon triangulation

e	v_B	f_R	e_N	e'
1	1	∞	2	1'
2	2	∞	3	2'
3	4	7	2	3'
4	4	∞	5	4'
5	5	∞	6	5'
6	6	∞	7	6'
7	7	∞	8	7'
8	8	∞	9	8'
9	9	∞	1	9'
10	4	6	6	10'
11	9	1	14	11'
12	2	1	11	12'
13	2	7	3	13'
14	2	3	10	14'
15	4	2	5	15'
1'	2	5	9	1
2'	3	7	13	2
3'	3	∞	4	3
4'	5	2	15	4

5'	6	2	4	5
6'	7	6	15	6
7'	8	4	11	7
8'	9	4	7	8
9'	1	5	12	9
10'	7	3	13	10
11'	7	4	8	11
12'	9	5	1	12
13'	4	3	14	13
14'	7	1	12	14
15'	6	6	10	15



Storing the polygon triangulation

How to build the DCEL

Storing the polygon triangulation


How to build the DCEL

Algorithm 1: subtracting ears

Storing the polygon triangulation

How to build the DCEL

Algorithm 1: substracting ears




Storing the polygon triangulation

How to build the DCEL

Algorithm 1: subtracting ears

Initialize



Storing the polygon triangulation


How to build the DCEL

Algorithm 1: substracting ears

Initialize

Table of vertices

v	x	y	e
1	x_1	y_1	1
2	x_2	y_2	2
3	x_3	y_3	3
4	x_4	y_4	4
5	x_5	y_5	5
6	x_6	y_6	6
7	x_7	y_7	7
8	x_8	y_8	8
9	x_9	y_9	9



Storing the polygon triangulation


How to build the DCEL

Algorithm 1: subtracting ears

Initialize

Table of faces

f	e
∞	9



Storing the polygon triangulation


How to build the DCEL

Algorithm 1: substracting ears

Initialize

DCEL

e	v_B	v_E	f_L	f_R	e_P	e_N
1	1	2		∞		2
2	2	3		∞		3
3	3	4		∞		4
4	4	5		∞		5
5	5	6		∞		6
6	6	7		∞		7
7	7	8		∞		8
8	8	9		∞		9
9	9	1		∞		1



Storing the polygon triangulation


How to build the DCEL

Algorithm 1: substracting ears

Initialize

DCEL

e	v_B	v_E	f_L	f_R	e_P	e_N
1	1	2		∞		2
2	2	3		∞		3
3	4	3	∞		4	
4	4	5		∞		5
5	5	6		∞		6
6	6	7		∞		7
7	7	8		∞		8
8	8	9		∞		9
9	9	1		∞		1




Storing the polygon triangulation

How to build the DCEL

Algorithm 1: subtracting ears

Advance




Storing the polygon triangulation

How to build the DCEL

Algorithm 1: substracting ears

Advance



Storing the polygon triangulation


How to build the DCEL

Algorithm 1: subtracting ears

Advance

Table of faces

f	e
5	9



Storing the polygon triangulation

How to build the DCEL

Algorithm 1: subtracting ears


Advance

Table of faces

f	e
5	9

DCEL

e	v_B	v_E	f_L	f_R	e_P	e_N
1	1	2	5	∞	9	2
9	9	1	5	∞	12	1
12	2	9	5		1	



Storing the polygon triangulation


How to build the DCEL

Algorithm 2: inserting diagonals

Storing the polygon triangulation

How to build the DCEL

Algorithm 2: inserting diagonals




Storing the polygon triangulation

How to build the DCEL

Algorithm 2: inserting diagonals

Initialize



Storing the polygon triangulation


How to build the DCEL

Algorithm 2: inserting diagonals

Initialize

Table of vertices

v	x	y	e
1	x_1	y_1	1
2	x_2	y_2	2
3	x_3	y_3	3
4	x_4	y_4	4
5	x_5	y_5	5
6	x_6	y_6	6
7	x_7	y_7	7
8	x_8	y_8	8
9	x_9	y_9	9



Storing the polygon triangulation


How to build the DCEL

Algorithm 2: inserting diagonals

Initialize

Table of faces

f	e
∞	9




Storing the polygon triangulation

How to build the DCEL

Algorithm 2: inserting diagonals

Base step



Storing the polygon triangulation


How to build the DCEL

Algorithm 2: inserting diagonals

Base step

Table of faces

f	e
6	10



Storing the polygon triangulation

How to build the DCEL

Algorithm 2: inserting diagonals


Base step

Table of faces

f	e
6	10

DCEL

e	v_B	v_E	f_L	f_R	e_P	e_N
6	6	7	6	∞	15	10
10	7	4	6	∞	6	15
15	4	6	6	∞	10	6




Storing the polygon triangulation

How to build the DCEL

Algorithm 2: inserting diagonals

Merge step



Storing the polygon triangulation

How to build the DCEL

Algorithm 2: inserting diagonals


Merge step

DCEL 1

e	v_B	v_E	f_L	f_R	e_P	e_N
1	1	2	5	∞	9	14
14	2	7	1	∞	12	7

DCEL 2

e	v_B	v_E	f_L	f_R	e_P	e_N
6	6	7	6	∞	15	14
14	2	7	∞	3	2	10



Storing the polygon triangulation

How to build the DCEL

Algorithm 2: inserting diagonals


Merge step

DCEL 1

e	v_B	v_E	f_L	f_R	e_P	e_N
1	1	2	5	∞	9	14
14	2	7	1	∞	12	7

DCEL 2

e	v_B	v_E	f_L	f_R	e_P	e_N
6	6	7	6	∞	15	14
14	2	7	∞	3	2	10



Storing the polygon triangulation

How to build the DCEL

Algorithm 2: inserting diagonals

Merge step

DCEL 1


e	v_B	v_E	f_L	f_R	e_P	e_N
1	1	2	5	∞	9	14
14	2	7	1	∞	12	7

DCEL 2

e	v_B	v_E	f_L	f_R	e_P	e_N
6	6	7	6	∞	15	14
14	2	7	∞	3	2	10

Merged DCEL

e	v_B	v_E	f_L	f_R	e_P	e_N
1	1	2	5	∞	9	2
6	6	7	6	∞	15	7
14	2	7	1	3	12	10



Storing the polygon triangulation

How to build the DCEL

Algorithm 3:

Storing the polygon triangulation

How to build the DCEL

Algorithm 3:

1. Decompose into monotone polygons
2. Triangulate monotone pieces

Storing the polygon triangulation

How to build the DCEL

Algorithm 3:

1. Decompose into monotone polygons
2. Triangulate monotone pieces


Computing the DCEL is done by combining previous strategies:

- Separating ears for triangulating each monotone subpolygon.
- Merging DCELs for putting together the monotone pieces.

WHAT HAPPENS IN 3D?


WHAT HAPPENS IN 3D?

A polyhedron that can be tetrahedralized:



WHAT HAPPENS IN 3D?


A cube can be decomposed into 6 tetrahedra...



WHAT HAPPENS IN 3D?




A cube can be decomposed into 6 tetrahedra...

but also into 5!



WHAT HAPPENS IN 3D?

A polyhedron that cannot be tetrahedralized:



WHAT HAPPENS IN 3D?

Every convex polyhedron can be tetrahedralized by first triangulating all its faces and then connecting with line segments any of its vertices to all the other vertices.

WHAT HAPPENS IN 3D?

Every convex polyhedron can be tetrahedralized by first triangulating all its faces and then connecting with line segments any of its vertices to all the other vertices.

Some other polyhedra which can be tetrahedralized:

- <http://citeseerx.ist.psu.edu/viewdoc/summary?doi=10.1.1.50.5049>

Some other polyhedra which cannot be tetrahedralized:

- http://en.wikipedia.org/wiki/Schönhardt_polyhedron
- <http://www.ics.uci.edu/~eppstein/junkyard/untetra/>

TRIANGULATING POLYGONS

FURTHER READING

- J. O'Rourke, **Computational Geometry in C (2nd ed.)**, Cambridge University Press, 1998.
- M. de Berg, O. Cheong, M. van Kreveld, M. Overmars, **Computational Geometry: Algorithms and Applications (3rd rev. ed.)**, Springer, 2008.

TRIANGULATING POLYGONS

FURTHER READING

- J. O'Rourke, **Computational Geometry in C (2nd ed.)**, Cambridge University Press, 1998.
- M. de Berg, O. Cheong, M. van Kreveld, M. Overmars, **Computational Geometry: Algorithms and Applications (3rd rev. ed.)**, Springer, 2008.

A NICE APPLICATION

The art gallery theorem

- J. O'Rourke, **Art Gallery Theorems and Algorithms**, Oxford University Press, 1987.
<http://maven.smith.edu/~orourke/books/ArtGalleryTheorems/art.html>